


Quick Start Guide

Three-phase brushless DC motor driver expansion board based on L6230 for STM32 Nucleo (X-NUCLEO-IHM07M1)




Version 1.0 (September 18, 2015)












STM32 Open Development Environment Fast, affordable Prototyping and Development

• The STM32 Open Development Environment (ODE) consists of a set of stackable boards and a modular open SW environment designed around the STM32 microcontroller family.




Compatibility with multiple Development environments



www.st.com/stm32ode

STM32 Nucleo Development Boards (NUCLEO)

 A comprehensive range of affordable development boards for all the STM32 microcontroller series, with unlimited unified expansion capabilities and integrated debugger/programmer functionality.






www.st.com/stm32nucleo

STM32 Nucleo Expansion Boards (X-NUCLEO)

• Boards with additional functionality that can be plugged directly on top of the STM32 Nucleo development board directly or stacked on another expansion board.






Example of STM32 expansion board (X-NUCLEO-IKS01A1)

www.st.com/x-nucleo

STM32 Open Development Environment Software components

- STM32Cube software (CUBE) A set of free tools and embedded software bricks to enable fast and easy development on the STM32, including a Hardware Abstraction Layer and middleware bricks.
- STM32Cube expansion software (X-CUBE) - Expansion software provided free for use with the STM32 Nucleo expansion board and fully compatible with the STM32Cube software framework. It provides abstracted access to expansion board functionality through high-level APIs and sample applications.




 Compatibility with multiple Development Environments - The STM32 Open Development Environment is compatible with a number of IDEs including IAR EWARM, Keil MDK, and GCC-based environments. Users can choose from three IDEs from leading vendors, which are free of charge and deployed in close cooperation with ST. These include Eclipse-based IDEs such as Ac6 System Workbench for STM32 and the MDK-ARM environment.




OPEN LICENSE MODELS: STM32Cube software and sample applications are covered by a mix of fully open source BSD license and ST licenses with very permissive terms.

STM32 Open Development Environment Building block approach



Ite.augmented

www.st.com/stm32ode





Three-phase brushless DC motor driver expansion board Hardware Overview

X-NUCLEO-IHM07M1 Hardware description


The X-NUCLEO-IHM07M1 is a three-phase brushless DC motor driver expansion board based on L6230 for STM32 Nucleo. It provides an affordable and easy-to-use solution for driving three-phase brushless DC motor in your STM32 Nucleo project. It is compatible with the ST morpho connector and supports the addition of other boards which ca be stacked with a single STM32 Nucleo board. The user can also mount the Arduino UNO R3 connector

Main features

- Nominal operating voltage range: 8 V 48 V DC
- Maximum output peak current: 2.8 A
- · Thermal measuring and overheating protection
- · 3-Shunt and 1-Shunt configurable jumpers for motor current sensing
- · Hall / Encoder motor sensor connector and circuit

Key Products on board <u>L6230</u>: DMOS driver for three-phase brushless DC motor <u>TSV994</u>: Rail to rail input / output high merit factor op-amps BAT30: Small signal Schotky diodes, 30V, 0.3A

> Latest info available at X-NUCLEO-IHM07M1



10

ST morpho connectors

Order Code: X-NUCLEO-IHM07M1



Three-phase brushless DC motor driver expansion board Software Overview


X-CUBE-SPN7 Software description

- The X-CUBE-SPN7 is an expansion software package for STM32Cube. The software runs on the STM32 and includes drivers that recognize, initialize and send application commands to L6230 device.
- It is compatible with the NUCLEO-F030R8, the NUCLEO-F103RB, the NUCLEO-F302R8 or the NUCLEO-F401RE when connected to one or more X-NUCLEO-IHM07M1 expansion boards.

Key features


- Complete middleware to build Motor Control applications based on three-phase BLDC motor.
- Easy portability across different MCU families, thanks to STM32Cube
- Free, user-friendly license terms

Overall System Architecture



Latest SW available at X-CUBE-SPN7







Documents & Related Resources

All documents are available in the Design Resources tab of the three-phase brushless motor driver expansion board webpage

X-NUCLEO-IHM07M1: Product webpage (Link)

- Gerber files, BOM, Schematic
- **DB2665:** Three-phase brushless DC motor driver expansion board based on L6230 for STM32 Nucleo **Data Brief**
- UM1943: Getting started with the X-NUCLEO-IHM07M1; three-phase brushless DC motor driver expansion board based on L6230 for STM32 Nucleo – User Manual

X-CUBE-SPN7: Product webpage (Link)

- DB2667: Three-phase brushless DC motor driver software expansion for STM32Cube – Data Brief
- UM1946: Getting started with the X-CUBE-SPN7; three-phase DC motor Driver software expansion for STM32Cube User Manual
- · Software setup file

	5		
Design Resources			
	I Documentation		
	duct Specifications		
	ription	Version	Size
74	DB3665: Three-phase brushless DC motor driver expansion board based on L6230 for STM32 Nucleo	1.0	930 KB
Elest	x-NUCLEO-IHM07M1 gerber files	Version 1.0	Size 285 KB
	D ₂		
Bill	of Materials		
	ription	Version	Size
72	X-NUCLEO-IHM07M1 BOM	1.0	185 KB
Set	ematic Pack		
	ription	Version	Size
74	X-NUCLEO-IHM07M1 schematic	1.0	256 KB

13





2

STM32 Nucleo Three-phase brushless DC motor driver expansion board

- Hardware overview
- Software overview

Documents & Related Resources




3


Setup & Demo Examples



Setup & Demo Examples HW prerequisites



- 1 x STM32 Nucleo development board (<u>NUCLEO-F030R8</u>, <u>NUCLEO-F103RB</u>, <u>NUCLEO-F302R8</u> or <u>NUCLEO-F401RE</u>)
- 1 x external DC power supply with two electric cables (*)
- 1 x low voltage three-phase BLDC motor
- 1 x Laptop/PC with MS Windows 7 or 8
- 1 x mini USB cable



Complete evaluation platform: NUCLEO + X-NUCLEO-IHM07M1 + LV Motor




Setup & Demo Examples SW prerequisites 16

- STSW-LINK008: ST-LINK/V2-1 USB driver (Link)
- STSW-LINK007: ST-LINK/V2-1 firmware upgrade (Link)
- X-CUBE-SPN7 (Link)
 - copy the .zip file content into a folder on your PC. The package will contain source code example (Keil, IAR, System Workbench) based on NUCLEO-F030R8, NUCLEO-F103RB, NUCLEO-F302R8 or NUCLEO-F401RE.




X-CUBE-SPN7 in 8 steps Use of X-CUBE-SPN7 with pre-compiled .BIN FW file

17



X-CUBE-SPN7 package main structure



Download & install STM32 Nucleo ST-LINK/V2-1 USB driver STSW-LINK008






Download / Install / Run ST-Link FW Upgrade Utility STSW-LINK007



X-CUBE-SPN7 in 8 steps Use of X-CUBE-SPN7 with pre-compiled .BIN FW file


X-CUBE-SPN7 for NUCLEO-F030 or NUCLEO-F103, NUCLEO-F302 or NUCLEO-F401


\STM32CubeExpansion_SPN7_V1.0.0\Projects\Multi\Examples\MotorControl\Binary\STM32F030R8-Nucleo \STM32CubeExpansion_SPN7_V1.0.0\Projects\Multi\Examples\MotorControl\Binary\STM32F103RB-Nucleo \STM32CubeExpansion_SPN7_V1.0.0\Projects\Multi\Examples\MotorControl\Binary\STM32F302R8-Nucleo \STM32CubeExpansion_SPN7_V1.0.0\Projects\Multi\Examples\MotorControl\Binary\STM32F401RE-Nucleo



X-CUBE-SPN7 for code developers Compile the FW using one of supported IDE

X-CUBE-SPN7 for NUCLEO-F030 or NUCLEO-F103, NUCLEO-F302 or NUCLEO-F401









IAR IDE vers. 7.20





Flash and Run the project





www.st.com/stm32ode

